

**Amendments to the Claims:**

Claims 1-74 (cancelled).

75. (Previously presented) A method for attenuating the expression of a target gene in a vertebrate cell *ex vivo* comprising:

explanting a vertebrate cell from a vertebrate organism;

supplying the cell with at least one double stranded RNA in an amount sufficient to specifically attenuate expression of the target gene, wherein one of the strands of the double stranded RNA is capable of hybridizing to the target gene *in vitro* in 400 mM NaCl, 40 mM PIPES ph 6.4, and 1 mM EDTA, at 50 °C; and

implanting the cell into a vertebrate organism, wherein expression of the target gene is attenuated in said vertebrate cell.

76. (Previously presented) The method of claim 75, wherein the cell is implanted back into the vertebrate organism from which it was explanted.

77. (Cancelled).

78. (Previously presented) The method of claim 75, wherein the double stranded RNA has a length of less than about 200 bases.

79. (Previously presented) The method of claim 75, wherein the double stranded RNA comprises a nucleotide sequence that is complementary to a region of at least about 25 bases of the target gene.

80-81. (Cancelled).

82. (Previously presented) The method of claim 75, wherein the double stranded RNA is supplied to the cell by delivery to the cell of the double stranded RNA.

83. (Previously presented) The method of claim 82, wherein the double stranded RNA is purified in the absence of phenol or chloroform.
84. (Previously presented) The method of claim 75, wherein the double stranded RNA is supplied to the cell by delivering to the cell a DNA encoding the double stranded RNA.
85. (Previously presented) The method of claim 75, wherein the target gene is an endogenous gene.
86. (Previously presented) The method of claim 75, wherein the target gene is a foreign gene.
87. (Previously presented) The method of claim 75, wherein the target gene is a chromosomal gene.
88. (Previously presented) The method of claim 75, wherein the target gene is an extrachromosomal gene.
89. (Previously presented) The method of claim 75, wherein the double stranded RNA is supplied in an amount to completely inhibit expression of the target gene.
90. (Previously presented) The method of claim 75, wherein the double stranded RNA comprises a single strand comprising self-complementary portions.
91. (Previously presented) The method of claim 75, wherein the double stranded RNA comprises two separate complementary strands.
92. (Previously presented) The method of claim 82, wherein the double stranded RNA is treated with RNase prior to delivery to the cell.

93. (Previously presented) The method of claim 91, wherein the two strands of the double stranded RNA are annealed in the presence of potassium chloride prior to delivery.
94. (Previously presented) The method of claim 75, wherein the function of the target gene is unknown.
95. (Previously presented) The method of claim 75, further comprising identifying a phenotypic change in the vertebrate cell associated with attenuated expression of the target gene.
96. (Previously presented) The method of claim 75, wherein the target gene is associated with a disease.
97. (Previously presented) The method of claim 75, wherein the target gene is associated with a pathogen.
98. (Currently amended) The method of claim ~~[[96]]~~ 97, wherein the pathogen is selected from the group consisting of a virus, bacterium, fungus or protozoan.